

Notice of Allowability

Application No.

10/506,911

Examiner

Jeffrey R. Jastrzab

Applicant(s)

PETROFSKY, JERROLD S.

Art Unit

3762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the 10/7/05 interview.
2. ☒ The allowed claim(s) is/are 1-21.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 10/4, 12/4, 1/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Rose on 10/7/05.

The application has been amended as follows:

In Claim 1:

after line 4, the following has been added: - - diagnosing a wound; - -;

in line 11, before the last occurrence of "the" - - each of - - has been added.

In Claim 15:

after line 3, the following has been added: - - diagnosing a wound; - -;

in line 7, before the last occurrence of "the" - - each of - - has been added.

In Claim 16:

after line 3, the following has been added: - -means for diagnosing a wound; - -;

in line 9, before "the" - - each of - - has been added.

In Claim 21:

after line 3, the following has been added: - -means for diagnosing a wound; - -;
in line 9, before the first occurrence of "the" - - each of - - has been added.

The following is an examiner's statement of reasons for allowance: In a series of interviews concluding on 10/7/05, the Examiner and Mr. Rose compared the current claims to US Patent No. 5,161,530 to Gamble and to US Patent No. 5,974,342 to Petrofsky (not the Applicant). Both references teach electrode switching for applying current to the body, however '342 fails to teach having each electrode in the array act as source and return (sink). The current amendment reflects this difference. As to the '530 reference, in the interferential device of Gamble, the electrodes are switched around a treatment site, however the device fails to diagnose a wound since it is primarily used for pain rather than wound treatment. The current amendment reflects this difference. Since these references vary widely in treatment modality, the two are not obviously combinable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Information Disclosure Statement

The information disclosure statement filed 10/25/04 fails to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each


Art Unit: 3762

non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. However, since the same references were submitted in a corresponding application (10/605132), the Examiner has reviewed the art cited therein and accordingly initialed these publications as agreed in the interview.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey R. Jastrzab whose telephone number is (571) 272-4947. The examiner can normally be reached on M-W 5:30 a.m. to 4:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela D. Sykes can be reached on (571) 272-4955. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jeffrey R. Jastrzab
Primary Examiner
Art Unit 3762
10/14/05